

# RH series

## FEATURES

- The Taping RH CORES are produced for the auto insertion into the P.C boards to prevent undesirable signal feedback and parasitic OSC.



## PARTNUMBER

RH	K	3.5	6	1	T	F	V
A	B	C	D	E	F	G	H

- A: Series
- B: Material
- C: Dimension A
- D: Dimension C
- E: Dimension D
- F: Taping Shape
- G: Lead Free
- H: ID Code

## DIMENSIONS




Fig-1 Shape A




Fig-2 Shape B




Fig-3 Shape C




Fig-4 Shape D




Fig-5 Shape E




Fig-6 Shape F


Cores	A	D	C
RH 2.5x3.0x1.0	2.50 ± 0.20	3.00 ± 0.30	1.00 ± 0.15
RH 2.5x4.5x1.0	2.50 ± 0.20	4.50 ± 0.30	1.00 ± 0.15
RH 3.5x6.0x0.8	3.50 ± 0.20	6.00 ± 0.30	0.80 ± 0.15
RH 3.5x3.2x1.0	3.50 ± 0.20	3.20 ± 0.30	1.00 ± 0.15
RH 3.5x4.7x1.0	3.50 ± 0.20	4.70 ± 0.30	1.00 ± 0.15
RH 3.5x6.0x1.0	3.50 ± 0.20	6.00 ± 0.30	1.00 ± 0.15
RH 3.5x8.0x1.0	3.50 ± 0.20	8.00 ± 0.30	1.00 ± 0.15
RH 3.5x9.0x1.0	3.50 ± 0.20	9.00 ± 0.30	1.00 ± 0.15
RH 3.5x10x1.0	3.50 ± 0.20	10.00 ± 0.30	1.00 ± 0.15
RH 3.5x5.0x1.2	3.50 ± 0.20	5.00 ± 0.30	1.20 ± 0.15
RH 3.5x3.0x1.3	3.50 ± 0.20	5.00 ± 0.30	1.30 ± 0.15
RH 3.5x6.0x1.3	3.50 ± 0.20	6.00 ± 0.30	1.30 ± 0.15
RH 3.5x3.25x1.4	3.50 ± 0.20	3.25 ± 0.30	1.40 ± 0.15
RH 3.5x5x1.5	3.50 ± 0.20	5.00 ± 0.30	1.50 ± 0.15
RH 3.5x3.25x1.6	3.50 ± 0.20	3.25 ± 0.30	1.60 ± 0.15
RH 3.5x5.8x1.78	3.50 ± 0.20	5.80 ± 0.30	1.78 ± 0.15




# Power Inductor DIP / AC LINE FILTERS




**RH 2.5X4.5X0.8**




**RH 3.5X5X1.0**




**RH 3.5X9X1.0**




**RH 3.5X6X0.8**




**RH 3.5X8X1.0**




**RH 2.5X3X1.0**




**RH 3.5X6X0.8**




**RH 3.5X10X1.0**




**RH 4.2X11X1.0**



**RH 3.5X9X1.0**



**RH 3.5X3.2X1.3**



**RH 3.5X6X1.2**

